Contents

Number 1 July 1994

1 MINI-REVIEW
Organ positions and pattern formation in the shoot apex. *J.D. Callos and J.I. Medford*

9 **Spatial patterns of expression of flavonoid/isoflavonoid pathway genes during interactions between roots of *Medicago truncatula* and the mycorrhizal fungus *Glomus versiforme*.** *M.J. Harrison and R.A. Dixon*

21 **Molecular analysis of protein domain function encoded by the *myb*-homologous maize genes *C1*, *Zm 1* and *Zm 38*.** *P. Franken, S. Schrell, P.A. Peterson, H. Saedler and U. Wienand*

31 **The developmental expression of the asparagus intracellular PR protein (AoPR1) gene correlates with sites of phenylpropanoid biosynthesis.** *S.A.J. Warner, A. Gill and J. Draper*

45 **Xanthophyll biosynthesis in chromoplasts: isolation and molecular cloning of an enzyme catalyzing the conversion of 5,6-epoxycarotenoid into ketocarotenoid.** *F. Bouvier, P. Hugueney, A. d'Harlingue, M. Kuntz and B. Camara*

55 **Transposition of a *Ds* element from a plasmid into the plant genome in *Nicotiana plumbaginifolia* protoplast-derived cells.** *N. Houba-Hérin, M. Domin and J. Pédron*

67 **SUC1 and SUC2: two sucrose transporters from *Arabidopsis thaliana*; expression and characterization in baker's yeast and identification of the histidine-tagged protein.** *N. Sauer and J. Stolz*

79 **Accumulation of plastid HSP 23 of *Chenopodium rubrum* is controlled post-translationally by light.** *K. Debel, G. Knack and K. Kloppstech*

87 **A *cis*-acting element and a *trans*-acting factor involved in the wound-induced expression of a horseradish peroxidase gene.** *A. Kawaoka, T. Kawamoto, M. Sekine, K. Yoshida, M. Takano and A. Shinmyo*

99 SHORT COMMUNICATION
***In situ* hybridization localizes avocado sunblotch viroid on chloroplast thylakoid membranes and coconut cadang cadang viroid in the nucleus.** *R.G. Bonfiglioli, G.I. McFadden and R.H. Symons*

105 SHORT COMMUNICATION
Isolation and characterization of two cDNA clones encoding ATP-sulfurylases from potato by complementation of a yeast mutant. *D. Klonus, R. Höfgen, L. Willmitzer and J.W. Riesmeier*

113 SHORT COMMUNICATION
Molecular characterization of *Arabidopsis thaliana* cDNAs encoding three purine biosynthetic enzymes. *K.M. Schnorr, P. Nygaard and M. Laloue*

123 TECHNICAL ADVANCE
Procedure for whole mount fluorescence *in situ* hybridization of interphase nuclei on *Arabidopsis thaliana*. *S. Bauwens, K. Katsanis, M. Van Montagu, P. Van Oostveldt and G. Engler*

Number 2 August 1994

133 **bZIP proteins bind to a palindromic sequence without an ACGT core located in a seed-specific element of the pea lectin promoter.** *S. de Pater, F. Katagiri, J. Kijne and N.-H. Chua*

141 **Expression of a maize proteinase inhibitor gene is induced in response to wounding and fungal infection: systemic wound-response of a monocot gene.** *M.J. Cordero, D. Raventós and B. San Segundo*

151 **Association of a 76 kDa polypeptide with soluble starch synthase I activity in maize (cv B73) endosperm.** *C. Mu, C. Ham, Y.-T. Ko, G.W. Singletary, P.L. Keeling and B.P. Wasserman*

161 **Nuclear-organelle interactions: the *immutans* variegation mutant of *Arabidopsis* is plastid autonomous and impaired in carotenoid biosynthesis.** *C.M. Wetzel, C.-Z. Jiang, L.J. Meehan, D.F. Voytas and S.R. Rodermel*

177 **Genetic length polymorphisms create size variation in proline-rich proteins of the cell wall.** *J.S. Schmidt, J.T. Lindstrom and L.O. Vodkin*

187 **Water channels in the plant plasma membrane cloned by immunoselection from a mammalian expression system.** *W. Kammerloher, U. Fischer, G.P. Piechottka and A.R. Schäffner*

201 **Flavonols and fertilization in *Petunia hybrida*: localization and mode of action during pollen tube growth.** *B. Ylstra, J. Busscher, J. Franken, P.C.H. Hollman, J.N.M. Mol and A.J. van Tunen*

213 **A laccase-like phenoloxidase is correlated with lignin biosynthesis in *Zinnia elegans* stem tissues.** *L. Liu, J.F.D. Dean, W.E. Friedman and K.-E.L. Eriksson*

225 **Functional reconstitution of the solubilized *Arabidopsis thaliana* STP1 monosaccharide-H^+ symporter in lipid vesicles and purification of the histidine tagged protein from transgenic *Saccharomyces cerevisiae*.** *J. Stolz, R. Stadler, M. Opekarová and N. Sauer*

235 SHORT COMMUNICATION
A carboxy-terminal plant vacuolar targeting signal is not recognized by yeast. *S. Gal and N.V. Raikhel*

241 SHORT COMMUNICATION
***Rhizobium meliloti* Nod factors elicit cell-specific transcription of the *ENOD*12 gene in transgenic alfalfa.** *E.P. Journet, M. Pichon, A. Dedieu, F. de Billy, G. Truchet and D.G. Barker*

251 SHORT COMMUNICATION
Cloning and expression of soluble epoxide hydrolase from potato. *A. Stapleton, J.K. Beetham, F. Pinot, J.E. Garbarino, D.R. Rockhold, M. Friedman, B.D. Hammock and W.R. Belknap*

259 SHORT COMMUNICATION
Characterization of an *Arabidopsis* cDNA for a soluble epoxide hydrolase gene that is inducible by auxin and water stress. *T. Kiyosue, J.K. Beetham, F. Pinot, B.D. Hammock, K. Yamaguchi-Shinozaki and K. Shinozaki*

271 TECHNICAL ADVANCE
Efficient transformation of rice (*Oryza sativa* L.) mediated by *Agrobacterium* and sequence analysis of the boundaries of the T-DNA. *Y. Hiei, S. Ohta, T. Komari and T. Kumashiro*

Number 3 September 1994

283 **The developmental and tissue-specific expression of tobacco phytochrome-A genes.** *E. Adam, M. Szell, M. Szekeres, E. Schaefer and F. Nagy*

295 **Genetic control of dihydroflavonol 4-reductase gene expression in *Petunia hybrida*.** *H.S.M. Huits, A.G.M. Gerats, M.M. Kreike, J.N.M. Mol and R.E. Koes*

311 **The promoters of two carboxylases in a C_4 plant (maize) direct cell-specific, light-regulated expression in a C_3 plant (rice).** *M. Matsuoka, J. Kyozuka, K. Shimamoto and Y. Kano-Murakami*

321 **LAT52 protein is essential for tomato pollen development: pollen expressing antisense *LAT52* RNA hydrates and germinates abnormally and cannot achieve fertilization.** *J. Muschietti, L. Dircks, G. Vancanneyt and S. McCormick*

339 **Manipulation of lignin quality by downregulation of cinnamyl alcohol dehydrogenase.** *C. Halpin, M.E. Knight, G.A. Foxon, M.M. Campbell, A.M. Boudet, J.J. Boon, B. Chabbert, M.-T. Tollier and W. Schuch*

351 **The maize chromosomal HMGa protein recognizes structural features of DNA and increases DNA flexibility.** *K.D. Grasser, A.B. Krech and G. Feix*

359 **Promoter and leader sequences of the spinach *PsaD* and *PsaF* genes direct an opposite light response in tobacco cotyledons: *PsaD* sequences downstream of the ATG codon are required for a positive light response.** *K. Flieger, A. Wicke, R.G. Herrmann and R. Oelmüller*

369 **Hypersensitive response in cucumber mosaic virus-inoculated *Arabidopsis thaliana*.** *H. Takahashi, N. Goto and Y. Ehara*

379 **The *FUS3* gene of *Arabidopsis thaliana* is a regulator of gene expression during late embryogenesis.** *H. Bäumlein, S. Misera, H. Luerßen, K. Kölle, C. Horstmann, U. Wobus and A.J. Müller*

389 **Inhibition of plant plasma membrane phosphoinositide phospholipase C by the actin-binding protein, profilin.** *B.K. Drøbak, P.A.C. Watkins, R. Valenta, S.K. Dove, C.W. Lloyd and C.J. Staiger*

401 **Altered body morphology is caused by increased stearate levels in a mutant of *Arabidopsis*.** *J. Lightner, D.W. James Jr., H.K. Dooner and J. Browse*

413 **The β-phaseolin gene is flanked by matrix attachment regions.** *A.H.M. van der Geest, G.E. Hall Jr., S. Spiker and T.C. Hall*

425 SHORT COMMUNICATION
Antisense expression of chaperonin 60β in transgenic tobacco plants leads to abnormal phenotypes and altered distribution of photoassimilates. *E. Zabaleta, A. Oropeza, N. Assad, A. Mandel, G. Salerno and L. Herrera-Estrella*

433 TECHNICAL ADVANCE
Synthesis of a bifunctional metallothionein/β-glucuronidase fusion protein in transgenic tobacco plants as a means of reducing leaf cadmium levels. *T. Elmayan and M. Tepfer*

441 TECHNICAL ADVANCE
The firefly luciferase gene as a non-invasive reporter for *Dendrobium* transformation. *T.-F. Chia, Y.-S. Chan and N.-H. Chua*

447 TECHNICAL ADVANCE
Physical mapping of the mitochondrial genome of *Arabidopsis thaliana* by cosmid and YAC clones. *M. Klein, U. Eckert-Ossenkopp, I. Schmiedeberg, P. Brandt, M. Unseld, A. Brennicke and W. Schuster*

Number 4 October 1994

457 **Circadian clock- and phytochrome-regulated transcription is conferred by a 78 bp *cis*-acting domain of the *Arabidopsis CAB2* promoter.** *S.L. Anderson, G.R. Teakle, S.J. Martino-Catt and S.A. Kay*

471 **Developmental differences between male and female flowers in the dioecious plant *Silene latifolia*.** *S. Grant, B. Hunkirchen and H. Saedler*

481 **Expression of an *Erwinia* phytoene desaturase gene not only confers multiple resistance to herbicides interfering with carotenoid biosynthesis but also alters xanthophyll metabolism in transgenic plants.** *N. Misawa, K. Masamoto, T. Hori, T. Ohtani, P. Böger and G. Sandmann*

491 **A style-specific hydroxyproline-rich glycoprotein with properties of both extensins and arabinogalactan proteins.** *J.L. Lind, A. Bacic, A.E. Clarke and M.A. Anderson*

503 **Function of the *Chlamydomonas reinhardtii petD* 5' untranslated region in regulating the accumulation of sub-unit IV of the cytochrome b_6/f complex.** *W. Sakamoto, X. Chen, K.L. Kindle and D.B. Stern*

513 **Segments encoding 5'-untranslated leaders of genes for thylakoid proteins contain *cis*-elements essential for transcription.** *C. Bolle, S. Sopory, Th. Lübberstedt, R.G. Herrmann and R. Oelmüller*

525 **Identification of loci in *Arabidopsis* that confer resistance to geminivirus infection.** *S. Lee, D.C. Stenger, D.M. Bisaro and K.R. Davis*

537 **Molecular characterization of a β-type proteasome subunit from *Arabidopsis thaliana* co-expressed at a high level with an α-type proteasome subunit early in the cell cycle.** *P. Genschik, E. Jamet, G. Philipps, Y. Parmentier, C. Gigot and J. Fleck*

547 **Translation of *psbA* mRNA is regulated by light via the 5'-untranslated region in tobacco plastids.** *J.M. Staub and P. Maliga*

555 **Phenotype of the fission yeast cell cycle regulatory mutant *pim1-46* is suppressed by a tobacco cDNA encoding a small, Ran-like GTP-binding protein.** *T. Merkle, T. Haizel, T. Matsumoto, K. Harter, G. Dallmann and F. Nagy*

567 **T-DNA tagging of a seed coat-specific cryptic promoter in tobacco.** *P.R. Fobert, H. Labbé, J. Cosmopoulos, S. Gottlob-McHugh, T. Ouellet, J. Hattori, G. Sunohara, V.N. Iyer and B.L. Miki*

579 **Identification of an enhancer/silencer sequence directing the aleurone-specific expression of a barley chitinase gene.** *R. Leah, K. Skriver, S. Knudsen, J. Ruud-Hansen, N.V. Raikhel and J. Mundy*

591 SHORT COMMUNICATION
Light-independent and tissue-specific expression of a reporter gene mediated by the pine *cab-6* promoter in transgenic tobacco. *K. Kojima, S. Sasaki and N. Yamamoto*

597 SHORT COMMUNICATION
Nuclear localization of the petunia MADS box protein FBP1. *L.A. Cañas, M. Busscher, G.C. Angenent, J.-P. Beltrán and A.J. van Tunen*

605 TECHNICAL ADVANCE
The subcellular and intra-organelle recognition of nuclear and chloroplast transcripts in developing leaf cells. *J.L. Marrison and R.M. Leech*

615 TECHNICAL ADVANCE
Toward cataloguing all rice genes: large-scale sequencing of randomly chosen rice cDNAs from a callus cDNA library. *T. Sasaki, J. Song, Y. Koga-Ban, E. Matsui, F. Fang, H. Higo, H. Nagasaki, M. Hori, M. Miya, E. Murayama-Kayano, T. Takiguchi, A. Takasuga, T. Niki, K. Ishimaru, H. Ikeda, Y. Yamamoto, Y. Mukai, I. Ohta, N. Miyadera, I. Havukkala and Y. Minobe*

Number 5 November 1994

625 **Expression of α-amylases, carbohydrate metabolism, and autophagy in cultured rice cells is coordinately regulated by sugar nutrient.** *M.-H. Chen, L.-F. Liu, Y.-R. Chen, H.-K. Wu and S.-M. Yu*

637 **Reduction of the chloroplastic fructose-1,6-bisphosphatase in transgenic potato plants impairs photosynthesis and plant growth.** *J Koßmann, U. Sonnewald and L. Willmitzer*

651 **Auxin-dependent microtubule responses and seedling development are affected in a rice mutant resistant to EPC.** *P. Nick, O. Yatou, M. Furuya and A.-M. Lambert*

665 **Analysis of phytochrome- and ABA-deficient mutants suggests that ABA degradation is controlled by light in *Nicotiana plumbaginifolia*.** *Y. Kraepiel, P. Rousselin, B. Sotta, L. Kerhoas, J. Einhorn, M. Caboche and E. Miginiac*

673 **The *Arabidopsis* ribonuclease gene *RNS1* is tightly controlled in response to phosphate limitation.** *P.A. Bariola, C.J. Howard, C.B. Taylor, M.T. Verburg, V.D. Jaglan and P.J. Green*

687 **Osmotic stress enhances the competence of *Beta vulgaris* vacuoles to respond to inositol 1,4,5-trisphosphate.** *G.J. Allen and D. Sanders*

697 **A phloem-specific sucrose-H^+ symporter from *Plantago major* L. supports the model of apoplastic phloem loading.** *M. Gahrtz, J. Stolz and N. Sauer*

707 **An anion current at the plasma membrane of tobacco protoplasts shows ATP-dependent voltage regulation and is modulated by auxin.** *S. Zimmermann, S. Thomine, J. Guern and H. Barbier-Brygoo*

717 **Cell-cycle regulation of hydroxyproline-rich glycoprotein *HRGPnt3* gene expression during the initiation of lateral root meristems.** *P. Vera, C. Lamb and P.W. Doerner*

729 **A NaCl-regulated plant gene encoding a brain protein homolog that activates ADP ribosyltransferase and inhibits protein kinase C.** *Z. Chen, H. Fu, D. Liu, P.-F.L. Chang, M. Narasimhan, R. Ferl, P.M. Hasegawa and R.A. Bressan*

741 **Malate-sensitive anion channels enable guard cells to sense changes in the ambient CO_2 concentration.** *R. Hedrich, I. Marten, G. Lohse, P. Dietrich, H. Winter, G. Lohaus and H.-W. Heldt*

749 SHORT COMMUNICATION
Production of the *Escherichia coli* betaine-aldehyde dehydrogenase, an enzyme required for the synthesis of the osmoprotectant glycine betaine, in transgenic plants. *K.-O. Holmström, B. Welin, A. Mandal, I. Kristiansdottir, T.H. Teeri, T. Lamark, A.R. Strøm and E. Tapio Palva*

759 TECHNICAL ADVANCE
Real-time imaging of phloem unloading in the root tip of *Arabidopsis*. *K.J. Oparka, C.M. Duckett, D.A.M. Prior and D.B. Fisher*

767 TECHNICAL ADVANCE
Isolation and immobilization of various plastid subtypes by magnetic immunoabsorption. *A.P. Kausch and B.D. Bruce*

781 TECHNICAL ADVANCE
A self-stabilizing *Ac* derivative and its potential for transposon tagging. *G. Schmitz and K. Theres*

Number 6 December 1994

787 **Rescue of a maize mitochondrial cytochrome oxidase mutant by tissue culture.** *J. Gu, S. Dempsey and K.J. Newton*

795 **Starch and fatty acid synthesis in plastids from developing embryos of oilseed rape (*Brassica napus* L.).** *F. Kang and S. Rawsthorne*

807 **Expression of the *S*-locus receptor kinase multigene family in *Brassica oleracea*.** *V. Kumar and M. Trick*

815 **The barley 60 kDa jasmonate-induced protein (JIP60) is a novel ribosome-inactivating protein.** *B. Chaudhry, F. Müller-Uri, V. Cameron-Mills, S. Gough, D. Simpson, K. Skriver and J. Mundy*

825 **The maize RNA-binding protein, MA16, is a nucleolar protein located in the dense fibrillar component.** *M.M. Albà, F.A. Culiáñez-Macià, A. Goday, M.A. Freire, B. Nadal and M. Pagès*

835 **The *forever young* gene encodes an oxidoreductase required for proper development of the *Arabidopsis* vegetative shoot apex.** *J.D. Callos, M. DiRado, B. Xu, F.J. Behringer, B.M. Link and J.I. Medford*

849 **The promoter of the barley aleurone-specific gene encoding a putative 7 kDa lipid transfer protein confers aleurone cell-specific expression in transgenic rice.** *R. Kalla, K. Shimamoto, R. Potter, P.S. Nielsen, C. Linnestad and O.-A. Olsen*

861 **Transgene-mediated suppression of chalcone synthase expression in *Petunia hybrida* results from an increase in RNA turnover.** *R. Van Blokland, N. Van der Geest, J.N.M. Mol and J.M. Kooter*

879 **Promoter tagging with a promoterless *ipt* gene leads to cytokinin-induced phenotypic variability in transgenic tobacco plants: implications of gene dosage effects.** *A. Hewelt, E. Prinsen, J. Schell, H. Van Onckelen and T. Schmülling*

893 **Analysis of the cucumber malate synthase gene promoter by transient expression and gel retardation assays.** *I.A. Graham, C.J. Baker and C.J. Leaver*

903 **The late-flowering phenotype of *FRIGIDA* and mutations in *LUMINIDEPENDENS* is suppressed in the Landsberg *erecta* strain of *Arabidopsis*.** *I. Lee, S.D. Michaels, A.S. Masshardt and R.M. Amasino*

911 **The phenotype of some late-flowering mutants is enhanced by a locus on chromosome 5 that is not effective in the Landsberg *erecta* wild-type.** *M. Koornneef, H. Blankestijn-de Vries, C. Hanhart, W. Soppe and T. Peeters*

921 SHORT COMMUNICATION
Complementary deletions in expressed potato U2snRNA gene variants support the hypothesis that stem–loop IIb is dispensable for splicing. *J.W.S. Brown, C.G. Simpson, G.P. Clark and R. Waugh*

927 SHORT COMMUNICATION
Molecular characterization of two *Brassica napus* genes related to oleosins which are highly expressed in the tapetum. *L.S. Robert, J. Gerster, S. Allard, L. Cass and J. Simmonds*

935 SHORT COMMUNICATION
Rice phytochrome A controls apical hook opening after a single light pulse in transgenic tobacco seedlings. *E. Schäfer, K. Emmler and N.H. Chua*

941 TECHNICAL ADVANCE
Production of fertile transgenic maize plants by silicon carbide whisker-mediated transformation. *B.R. Frame, P.R. Drayton, S.V. Bagnall, C.J. Lewnau, W.P. Bullock, H.M. Wilson, J.M. Dunwell, J.A. Thompson and K. Wang*

949 TECHNICAL ADVANCE
Genetic transformation of the C_4 plant, *Flaveria bidentis*. *J.A. Chitty, R.T. Furbank, J.S. Marshall, Z. Chen and W.C. Taylor*

957 TECHNICAL ADVANCE
Reduced variation in transgene expression from a binary vector with selectable markers at the right and left T-DNA borders. *M.K. Bhattacharyya, B.A. Stermer and R.A. Dixon*

969 **Author index**

975 **Subject index**